

GOVERNMENT OF ANDHRA PRADESH

A B S T R A C T

Public Services-I & CAD Department-Departmental proceedings against Sri Ch. Satish Kumar Rao, Superintending Engineer (Retd), formerly worked as EE in Division No.3, Thorrur, SRSP Stage-II Circle - Sanction under Rule 9 of A.P.R.P. Rules, 1980-Orders Issued.

=====

IRRIGATION & CAD (SERVICES.X-2) DEPARTMENT

G.O.Rt.No. 29

Dt:11.01.2011

O R D E R:

Whereas it has been brought to the notice of the Government that Sri Ch. Satish Kumar Rao, Superintending Engineer (Retd) during his incumbency as Executive Engineer in Division No.3, Thorrur, SRSP Stage-II circle has committed certain irregularities in payment of enhanced rates by erroneous reporting of work slip in SRSP Stage-II Earth work excavation and forming embankment including construction of structures DBM-60 from Km 40.00 to KM 45.00 . Therefore the Government decided that there exists a prima facie case to initiate departmental action against Sri Ch. Satish Kumar Rao, Superintending Engineer (Retd)

2. Now, therefore sanction is accorded under sub clause (i) under clause (b) of the Sub-rule (2) of Rule 9 of A. P. Revised Pension Rules, 1980 to initiate Departmental proceedings against the said Sri Ch. Satish Kumar Rao, Superintending Engineer (Retd)

3. It is further directed that the said Departmental proceeding shall be conducted in accordance with the procedure laid down in Rule 20 of Andhra Pradesh Civil Services (CC & A) Rules, 1991.

(BY ORDER AND IN THE NAME OF THE GOVERNOR OF ANDHRA PRADESH)

SHAIENDRA KUMAR JOSHI
PRINCIPAL SECRETARY TO GOVERNMENT

To

Sri Ch. Satish Kumar Rao, Superintending Engineer (Retd)

through the Engineer-In-Chief (Admn.Wing)

Irrigation & CAD Department, Hyderabad.

Copy to:

The Engineer-In-Chief (Admn.Wing)

Irrigation & CAD Department, Hyderabad.

//FORWARDED: : BY ORDER//

SECTION OFFICER